L Number	Hits	Search Text	DB	Time stamp
7	✓ 173	(fax$3 OR facsimile$1) WITH (baud$1 OR baud$1rate$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:47
9	✓ 98	("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) WITH (baud$1 OR baud$1rate$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:33
10	473	("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) SAME (fax$3 OR facsimile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:34
11	✓ 212	("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) WITH (fax$3 OR facsimile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:44
12	869	("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) WITH (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR $1bps OR bit$2per$1sec$1 OR bit$2/sec$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:47
13	576	("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR $1bps OR bit$2per$1sec$1 OR bit$2/sec$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:55
14	✓ 88	(fax$3 OR facsimile$1) AND (("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR $1bps OR bit$2per$1sec$1 OR bit$2/sec$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:55
16	10884	(("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1)) OR kbps	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:55
17	2198	(fax$3 OR facsimile$1) AND ((("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1)) OR kbps)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:56
18	478	(fax$3 OR facsimile$1) SAME ((("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1)) OR kbps)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 13:56
19	✓ 286	(fax$3 OR facsimile$1) WITH ((("1000" OR "1,000" OR (one ADJ1 thousand$1) OR one$1thousand$1) NEAR3 (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1)) OR kbps)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:06
24	798	((fax$3 OR facsimile$1) OR modem$1) WITH classif$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:09

26	✓ 2	(((fax$3 OR facsimile$1) OR modem$1) WITH classif$6) SAME (baud OR baud$1rate$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:38
28	✓ 115	(((fax$3 OR facsimile$1) OR modem$1) WITH classif$6) AND (370/$6.ccls. OR 379/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:22
29	✓ 21	(((fax$3 OR facsimile$1) AND modem$1) WITH classif$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:47
31	774	(fax$3 OR facsimile$1) WITH (negotiat$4 OR auto$1negotiat$4 OR hand$1shak$3 OR (hand ADJ1 shak$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:49
32	✓ 45	((fax$3 OR facsimile$1) WITH (negotiat$4 OR auto$1negotiat$4 OR hand$1shak$3 OR (hand ADJ1 shak$3))) SAME (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1 OR kbps)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:57
33	✓ 123	(modem$1 WITH (negotiat$4 OR auto$1negotiat$4 OR hand$1shak$3 OR (hand ADJ1 shak$3))) SAME (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1 OR kbps)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:07
34	✓ 23	(modem$1 SAME (fax$3 OR facsimile$1) SAME (negotiat$4 OR auto$1negotiat$4 OR hand$1shak$3 OR (hand ADJ1 shak$3))) SAME (bit$2per$1second$1 OR bit$2/second$1 OR (bit$2 ADJ1 per ADJ1 (second$1 OR sec$1)) OR bps OR bit$2per$1sec$1 OR bit$2/sec$1 OR kbps)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:07
-	41142	wu.in. OR tsai.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:58
-	0	ying-li-wu.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:01
-	0	louis-tsai.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:01
-	136	(wu.in. OR tsai.in.) AND (class$8 WITH number$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:03
-	11	(wu.in. OR tsai.in.) AND (class$8 WITH number$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 379/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:03
-	40919	class$8 WITH number$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:13

-	196730	((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:14
-	1695	class$8 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:20
-	2	5815682.pn. OR 5870458.pn.	USPAT	2004/01/12 11:25
-	888	classif$8 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:20
-	252	classif$8 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 379/$6.ccls. OR 710/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:46
-	174056	type$1 WITH (((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 number$1) OR connection$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:51
-	657	(competitiv$3 ADJ1 local ADJ1 exchang$3 ADJ1 carrier$1) OR CLEC$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:53
-	15392	type$1 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 (number$1 OR connection$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:52
-	78	((competitiv$3 ADJ1 local ADJ1 exchang$3 ADJ1 carrier$1) OR CLEC$1) AND (type$1 WITH ((telephon$5 OR line$1 OR phone$1 OR subscrib$5) NEAR2 (number$1 OR connection$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:52
-	936	number SAME (type$1 OR classif$8) SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1))	USPAT	2004/01/12 11:28
-	325	(number WITH (type$1 OR classif$8)) SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1))	USPAT	2004/01/12 13:21
-	34	number SAME ((exchange ADJ1 carrier$1) OR CLEC) SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1))	USPAT	2004/01/12 12:50
-	14	("4197427" | "4291200" | "4907256" | "5490199" | "5712908" | "5854835" | "5905785" | "5946386" | "6011838" | "6259778" | "6282267" | "6298123" | "6351453" | "6415024").PN.	USPAT	2004/01/12 12:57
-	2	("5471522" | "5499287").PN.	USPAT	2004/01/12 13:06
-	2	5870458.URPN.	USPAT	2004/01/12 13:06
-	11	("3754217" | "4292669" | "4293928" | "5038320" | "5202899" | "5202963" | "5459867" | "5530887" | "5530895" | "5548759" | "5574888").PN.	USPAT	2004/01/12 13:07
-	10	5815682.URPN.	USPAT	2004/01/12 13:10
-	14	("5153907" | "5392344" | "5550912" | "5574783" | "5606600" | "5689555" | "5696816" | "5703938" | "5712908" | "5809121" | "5903639" | "5970130" | "6035029" | "6038227").PN.	USPAT	2004/01/12 13:14

–	4870	(type$1 OR classif$8) SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1))	USPAT	2004/01/12 13:21
–	82	classif$8 SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1))	USPAT	2004/01/12 13:50
–	445	type$1 SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) SAME (database$1 OR list$1 OR table$1)	USPAT	2004/01/12 13:51
–	245	type$1 SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) SAME (database$1 OR list$1 OR table$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 379/$6.ccls. OR 710/$6.ccls.)	USPAT	2004/01/12 14:26
–	409	number$1 SAME ((modem$1 AND fax$3) OR (modem$1 AND facsimile$1) OR (modem$1 AND voice$1) OR (modem$1 AND ISDN$1)) SAME (database$1 OR list$1 OR table$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 379/$6.ccls. OR 710/$6.ccls.)	USPAT	2004/01/12 15:29
–	1	5436965.pn.	USPAT	2004/01/12 15:30
–	1	5404400.pn.	USPAT	2004/01/12 15:39
–	5	("4941168" | "5086458" | "5164981" | "5179585" | "5241587").PN.	USPAT	2004/01/12 15:31
–	17	5404400.URPN.	USPAT	2004/01/12 15:31
–	54	hamilton.in. AND 379/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:40
–	26	("3903378" | "3989907" | "5117417" | "5347566" | "5390239" | "5430793" | "5673290" | "5678198" | "5701292" | "5751802" | "5778049" | "5784406" | "5793751" | "5796723" | "5805577" | "5805668" | "5822374" | "5828748" | "5841841" | "5864541" | "5867483" | "6091713" | "6292515" | "6292539" | "6345071" | "6393051").PN.	USPAT	2004/01/12 16:20
–	1873	(select$5 NEAR4 (modem$1 OR analog$2 OR fax$3 OR facsimil$3)) SAME rate$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:55
–	868	(select$5 NEAR4 (modem$1 OR analog$2 OR fax$3 OR facsimil$3)) WITH rate$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:55
–	382	(select$5 NEAR4 (modem$1 OR fax$3 OR facsimil$3)) WITH rate$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 19:14
–	958	modem$1 SAME (fax$3 OR facsimil$3) SAME rate$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 19:14
–	274	(modem$1 SAME (fax$3 OR facsimil$3) SAME rate$1) AND (modem$1 WITH analog$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 19:15